



PrefSuite

PrefSuite 2014.1 Installation Requirements

May 2014



Ronda Guglielmo Marconi, 9
Parque Tecnológico
46980 Paterna | Valencia | Spain

T | +34 | 96 338 99 66
ventas@preference.es
www.prefsuite.com



Contents

- 1. Requirements for PrefSuite 2014.1 Installation _____ 3
 - 1.1. Client _____ 3
 - 1.1.1. Minimum _____ 3
 - 1.1.2. Recommended _____ 3
 - 1.2. Server _____ 4
 - 1.2.1. Minimum _____ 4
 - 1.2.2. Recommended _____ 5
 - 1.3. Minimum requisites for PrefCIM _____ 6
 - 1.3.1. Client _____ 6
 - 1.3.2. Server _____ 6

1. Requirements for PrefSuite 2014.1 Installation

1.1. Client

1.1.1. Minimum

Hardware

- Pentium or AMD type processor with 1.5 GHz.
- Graphics Card with DirectX 11.1 support.
- 2 GB of free space on hard disk required for installation.
- Monitor resolution of 1280 x 1024 pixels.

If user computer not acts as Data Base Sever:

- 8 GB of RAM.

If user computer acts as Data Base Sever too (single-user):

- 12 GB of RAM.

Software

- Windows 7 SP1 Professional/ Enterprise/Ultimate or Windows 8 (no RT).
- .NET Framework 3.5 and 4.5 (both).
- DirectX 11.1.
- XML 6.0.
- MDAC 6.0.
- SYNC Framework 2.0.

If user computer acts as Data Base Sever too (single-user):

- SQL Server 2012 express edition.
 - Database Engine.
 - Client.

1.1.2. Recommended

Hardware

- Pentium or AMD type processor with 2 GHz or higher speed.
- Graphics Card with DirectX 11.1 support or higher.
- 16 GB of RAM.
- 2 GB of free space on hard disk required for installation.
- 20" screen with 1920 x 1080 (Full HD) resolution or higher.
- For working with PrefNext: 20" Dual screen with Full HD or higher.

Software

- Windows 8.1 Pro or Enterprise.
- .NET Framework 3.5 and 4.5 (both).
- DirectX 11.1 or higher.
- XML 6.0.
- MDAC 6.0.
- SYNC Framework 2.0.

If user computer acts as Data Base Sever too (single-user):

- SQL Server 2012 R2 or higher.
 - Database Engine.
 - Client.

1.2. Server

1.2.1. Minimum

Hardware

- Pentium or AMD type processor with 1.5 GHz.
- 2 GB of free space on hard disk for PrefSuite installation.

If the server acts as Terminal Server only:

- One additional core for each 15 concurrent sessions.
- 512 MB of free RAM for each concurrent session supported by the server.

If the server acts as Data Base Sever only:

- Backup device.
- One core.
- Enough space on hard disk to accommodate data base (normally between 10 and 60 GB) and a usage of hard disk always lower than 70 %.
- Between 2 and 6 GB of RAM depending on the size of database. In most cases, with data bases of less than 4 GB in size, 2 GB of RAM should be enough. But the maximum RAM possible is recommended. Memory is also dependent on the OS limitations.

If the server acts as both roles, both requirements must be added.

Software

If the server acts as Terminal Server only:

- Windows Server 2008 R2 SP1 or Windows Server 2012 Standard or Enterprise edition.
- .NET Framework 3.5 and 4.5 (both).
- DirectX 11.1.
- XML 6.0.

- MDAC 6.0.
- SYNC Framework 2.0.

If the server acts as Data Base Sever only:

- Windows Server 2008 R2 or higher with latest Service Pack.
- SQL Server 2012 or higher.
 - Database Engine.
 - Client.

1.2.2. Recommended

Hardware

- Pentium or AMD type processor with 2 GHz or higher speed.
- 2 GB of free space on hard disk for PrefSuite installation.

If the server acts as Terminal Server only:

- One additional core for each 10 concurrent sessions.
- 750 MB of free RAM for each concurrent session supported by the server.

If the server acts as Data Base Sever only:

- Backup device.
- 4 cores.
- Enough space on hard disk to accommodate data base (normally between 10 and 60 GB) and a usage of hard disk always lower than 70 %.
- 2 physical hard disks, one for the data base and the other for logs.
- Between 4 and 8 GB of RAM depending on the size of database and number of users. In most cases, a database less than 10 GB in size with 7-10 users, 4 GB of RAM should be enough. But the maximum RAM possible is recommended. Memory is also dependent on the OS limitations.

If the server acts as both roles (Terminal Server and SQL server), both requirements must be added.

Software

If the server acts as Terminal Server only:

- Windows Server 2012 (x64).
- .NET Framework 3.5 and 4.5 (both).
- DirectX 11.1 or higher.
- XML 6.0.
- MDAC 6.0.
- SYNC Framework 2.0.

If the server acts as Data Base Sever only:

- Windows Server 2012 (x64).

- SQL Server 2012 R2 Standard or Enterprise edition.
 - Database Engine.
 - Client.
 - Integration Services.
 - Analysis Services.
 - Reporting Services (do not configure while installation).
 - Configure SQL Agent to start with operating system.

1.3. Minimum requisites for PrefCIM

1.3.1. Client

Hardware

- Pentium or AMD type processor with 2 GHz or higher speed.
- Graphic card with 2D and 3D acceleration.
- 4 GB of free space on hard disk.
- 2 GB of RAM.
- Monitor resolution of 1024 x 768 pixels or higher and 256 colors (8 bits).
- PSC QUICKSCAN 6500 PLUS barcode scanner with keyboard interface (USB).
- A network adapter appropriate for the type of network you are connecting: local area or wireless, and access to an appropriate network infrastructure. Access to third-party networks may require additional charges.

Software

- Windows Vista SP2, Windows 7 SP1, Windows 8.
- Silverlight 5.

1.3.2. Server

Hardware

- Pentium or AMD type processor with 1.5 GHz or higher speed.
- 6 GB of RAM on Windows Server 2008 R2 Web Edition.
- 4 GB of free space on hard disk.
- Ethernet network card.
- It is very important to install the driver provided by the maker for your graphic card and keep updated with the last version available of DirectX components. The standard VGA driver provided by Windows to ensure backwards compatibility will work properly.

Software

- Windows Server 2008 R2 Web Edition.
- IIS 7.5.